

Easy to set-up and with low maintenance requirements, this 7,500-lumens WXGA installation projector boasts bright images and vivid colours.

Ideal for professional-looking presentations in a variety of large venues, the EB-G7200W creates images with rich, vivid colours thanks to Epson's 3LCD technology and equally high White and Colour Light Output. With flexible installation and low maintenance, this projector offers a fit-and-forget solution for scenarios in which only superior projections will do.

Superior image quality

Ensure superb quality and the best possible delivery of presentations with this powerful installation projector for large venues. Featuring Epson's own 3LCD technology and equally high White and Colour Light Output, WXGA resolution images are vivid and bright, even in daylight with its 7,500 lumens brightness.

Easy positioning

Thanks to a new range of motorised lenses, including optional ultra-short throw (UST) lens, and both vertical and horizontal lens shift, the projector benefits from true 360° installation flexibility allowing it to be placed almost anywhere.

Quick set-up

Get started quickly thanks to a lens memory function, which stores projector settings such as image position, focus and zoom, for prompt access when projecting images in different aspect ratios, or using different lenses. Split-screen allows dual feeds to be projected, while a portrait projection mode is possible without changing the lamp. For integration with a wide range of systems, inputs include HDMI, HDBaseT, DVI-D and component video.



KEY FEATURES

- Superior picture quality 3LCD technology; superior white balance; better colour matching
- Expand installation possibilities Works with a wide range of optional lenses including ultra-short-throw
- Flexible 360° installation True flexibility without distortion or loss of brightness
- Lens memory function Stores projector settings such as image position, focus and zoom
- **Portrait projection mode** Switch mode without having to change the lamp





PRODUCT SPECIFICATIONS

TECHNOLOGY		
Projection System	3LCD Technology	
LCD Panel	0.76 inch with C2 Fine	
IMAGE		
Colour Light Output	7,500 lumen- 6,000 lumen (economy) In accordance with IDMS15.4	
White Light Output	7,500 lumen - 6,000 lumen (economy) In accordance with ISO 21118:2012	
Portrait Colour Light Output		
Portrait White Light Output	6,000 lm	
Resolution	WXGA, 1280 x 800, 16:10	
Aspect Ratio	16:10	
Contrast Ratio	50.000 : 1	
Native Contrast	2,000 : 1	
Lamp	400 W, 3,000 h durability, 4,000 h durability (economy mode)	
Lamp (portrait mode)	400 W, 2,000 Hours Durability	
Keystone Correction	Manual vertical: ± 45 °, Manual horizontal ± 30 °	
Colour Reproduction	Upto 1.07 billion colours	
Colour Processing	10 Bits	
OPTICAL		
Projection Ratio	1.44 - 2.33:1	
Zoom	Motorized, Factor: 1 - 1.6	
Lens Shift	Motorized - Vertical ± 67 %, horizontal ± 30 %	
Lens position memory	10 positions	
Projection Lens F Number	1.7 - 2.3	
Focal Distance	24 mm - 38.2 mm	
Focus	Motorized	
Image Size	50 inches - 300 inches	
Projection Distance Wide	1.5 m - 9.4 m (50 inch screen)	
Projection Distance Tele	2.5 m - 15.1 m (50 inch screen)	
CONNECTIVITY		
Interfaces	USB 2.0 Type A, USB 2.0 Type B (Service Only), RS-232C, Ethernet interface (100 Base-TX /	
	10 Base-T), Wireless LAN IEEE 802.11a/b/g/n (optional), VGA in, VGA out, DVI in, BNC in,	
	HDBaseT, Stereo mini jack audio out, Stereo mini jack audio in (3x), HDMI (HDCP 2.2)	
GENERAL		
Energy Use	572 W, 477 W (economy), 0.3 W (standby)	
Supply Voltage	AC 100 V - 240 V, 50 Hz - 60 Hz	
Product dimensions	525 x 472 x 189 mm (Width x Depth x Height)	
Product weight	12.7 kg	
Noise Level	Normal: 39 dB (A) - Economy: 31 dB (A) - Eco2: 1 dB (A)	
Loudspeaker	10 W	
Colour	White	
ADVANCED FEATURES		
Security	Kensington lock, Control panel lock, Password protection	
Features	4K enhancement, Built-in speaker, Document Camera Compatible, Lens position memory	
Video Colour Modes	Cinema, Dynamic, Presentation, sRGB, DICOM SIM, Multi Projection	
Projector control	via: AMX, Crestron, Control4	
OTHER		
Warranty	36 months On site service or 20,000 h, Lamp: 12 months or 1,000 h	
wandity	Optional warranty extension available	
	סאווטוומו אימודמוונץ באנכווסוטון מימוומטוכ	

EB-G7200W

WHAT'S IN THE BOX

- Cable cover
- VGA cable
- Lens cap
- Remote control incl. batteries
- User's Manual Set
- Power cable



OPTIONAL ACCESSORIES

- Air Filter ELPAF30
 V13H134A30
- Lamp ELPLP93 EB-G7000 series V13H010L93
- Ceiling Mount ELPMB47 Low EB-G7000/L1000 V12H802010
- Ceiling Mount ELPMB48 High EB-G7000/L1000 V12H803010
- 3D Polarizer ELPPL01 V12H618A01
- Wireless LAN Adapter ELPAP10 V12H731P01
- Ceiling Mount (White) ELPMB22 V12H003B22
- Ceiling Pipe (450mm) ELPFP13 V12H003P13
- Ceiling Pipe (700mm) ELPFP14 V12H003P14

OPTIONAL LENSES

- Lens ELPLU04 G7000 & L1000 Series ST off axis 2 V12H004U04
- Lens ELPLX01 UST lens G7000 series & L1100,1200,1300,1400/5U V12H004X01
- Lens ELPLU03 G7000 & L1000 Series ST off axis 1 V12H004U03
- Lens ELPLW05 G7000 & L1000 Series wide zoom 1 V12H004W05
- Lens ELPLM08 Mid throw 1 G7000/L1000 series V12H004M08
- Lens ELPLL08 Long throw G7000/L1000 series V12H004L08
- Lens ELPLM10 Mid throw 3 G7000/L1000 series V12H004M0A
- Lens ELPLM11 Mid throw 4 G7000/L1000 series V12H004M0B
- Lens ELPLM09 Mid throw 2 G7000/L1000 series V12H004M09

LOGISTICS INFORMATION

SKU	V11H751041
EAN code	8715946612188
Country of Origin	China

For more information please contact: Telephone: 01952 607111 (UK)+ 01 436 7742 (Republic of Ireland) E-mail: enquiries@epson.co.uk Chat: etalk.epson-europe.com Fax: 0871 222 6740 + Local call rate.

Web: www.epson.co.uk www.epson.ie

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners. Product information is subject to change without prior notice. EB-G7200W

