

50wd x 200dp Grade C24 treated timber pole plate secured to masonry with M12 grade A2 stainless steel threaded bars at 200 centres with nuts and washers. Bars to have 150 masonry embedment in Hilti Hit HY270 injection mortar.

SECTION A - A STITCHING OF FRACTURE (PROPOSED)

PLAN EXTRACT OF ORGAN ROOM (PROPOSED)

STATUS CODES FOR DRAWINGS ACCORDANCE WITH BS EN ISO 15926-2:2016	
CODE	DESCRIPTION
SHARED (NON-CONTRACTUAL - NOT FOR CONSTRUCTION)	
S1	SUITABLE FOR COORDINATION
S2	SUITABLE FOR INFORMATION
S3	SUITABLE FOR REVIEW AND COMMENT
S4	SUITABLE FOR STAGE REVIEW AND AUTHORIZATION
S5	SUITABLE FOR STAGE REVIEW AND ACCEPTANCE
PUBLISHED (CONTRACTUAL)	
A1	STAGE 1 AUTHORIZED (NOT FOR CONSTRUCTION)
A2	STAGE 2 AUTHORIZED (NOT FOR CONSTRUCTION)
A3	STAGE 3 AUTHORIZED (NOT FOR CONSTRUCTION)
A4	STAGE 4 AUTHORIZED (FOR CONSTRUCTION)
A5	STAGE 5 AUTHORIZED (FINAL DESIGN RECORD)

NOTES	1. THIS DRAWING IS COPYRIGHT AND MAY NOT BE REPRODUCED WITHOUT THE PERMISSION OF MANN WILLIAMS.
	2. ALL DRAWINGS ARE TO BE READ IN CONJUNCTION WITH THE PROJECT SPECIFICATION WITH ALL WORKS CARRIED OUT IN ACCORDANCE WITH THE LATEST BRITISH STANDARDS AND CODES OF PRACTICE.
	3. ANY AMBIGUITIES OR DISCREPANCIES BETWEEN THIS DRAWING AND ANY OTHER INFORMATION GIVEN ELSEWHERE MUST BE REPORTED TO MANN WILLIAMS FOR CLARIFICATION BEFORE WORK PROCEEDS.
	4. ALL DIMENSIONS TO BE CHECKED ON SITE AND ANY DISCREPANCIES REPORTED TO THE ENGINEER BEFORE ANY WORK COMMENCES.
	5. ONLY FIGURED OR CALCULATED DIMENSIONS SHOULD BE USED AND NO DRAWINGS, IN ANY FORMAT SHOULD BE SCALED.



Location

REV	DESCRIPTION	BY	DATE	PROJECT
P1	PRELIMINARY ISSUE	SS	03.12.24	St George's Church Wembdon

TITLE		SS	JWS	A3	NTS	DATE	NEW OR REVIS	125555
New suspended floor structure to Organ Room and Stitching of North Wall		S2		INFORMATION		(NOT FOR CONSTRUCTION)		
ZENITH	SCALE	XX	XX	XX	XX	XX	XX	
DR	DR	DR	DR	DR	DR	DR	DR	
125555	9002	P1						